

L Number	Hits	Search Text	DB	Time stamp
-	2364	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:42
-	109	(((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND 707/\$.ccls.) AND null	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 22:15
-	62	(((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND 707/\$.ccls.) AND null) AND operator\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 22:15
-	58	((((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND 707/\$.ccls.) AND null) AND operator\$1) AND (term\$1 OR keyword\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 22:20
-	92	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND (boolean NEAR2 operator\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 22:29
-	5	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND (boolean NEAR8 (choose\$1 OR choosing OR chosen))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 22:30
-	677	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 22:31
-	2364	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 16:15
-	241	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 16:34
-	349	((search\$3 OR quer\$4) NEAR6 (present\$3 OR display\$3 OR show\$3)) NEAR10 graphical\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 17:47
-	1036	(search\$3 OR quer\$4) NEAR6 template\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 17:49
-	2	5995979.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:44
-	1	20020099701.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:44
-	4	5909678.uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 13:34
-	2472	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:51
-	2472	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:52

-	510	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:55
-	2	6029165.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:54
-	1	6029165.pn. AND initiat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:54
-	287	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1)))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:57
-	145	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1)))) AND ((eliminat\$4 OR remov\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:56
-	94	((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1)))) AND ((eliminat\$4 OR remov\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:29
-	50004	((choos\$3 chosen select\$3) NEAR4 (operator\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:22
-	3815	(((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:15
-	424	(((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:34
-	301	((((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)) AND (display\$3 NEAR6 (operator\$1 item\$1 keyword\$1 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:42
-	56	((((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)) AND (display\$3 NEAR6 (operator\$1 item\$1 keyword\$1 result\$1)) AND (707/\$.ccls. 345/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:17
-	110	((choos\$3 chosen select\$3) NEAR4 ((logical ADJ2 operator\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:23
-	3	(((choos\$3 chosen select\$3) NEAR4 ((logical ADJ2 operator\$1)))) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42
-	60010	((want\$3 desir\$3 satisf\$7) NEAR6 (result\$1 answer\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:29
-	122	((want\$3 desir\$3 satisf\$7) NEAR6 (result\$1) NEAR6 (null\$3 empty zero))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:30
-	13	(((want\$3 desir\$3 satisf\$7) NEAR6 (result\$1) NEAR6 (null\$3 empty zero))) AND (display\$3 NEAR4 result\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:34

-	0	((remov\$3 eliminat\$4) NEAR4 (logical ADJ2 operator\$1) NEAR6 display\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:35
-	0	((remov\$3 eliminat\$4) NEAR6 (logical ADJ2 operator\$1) NEAR6 display\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:35
-	0	((remov\$3 eliminat\$4) NEAR6 (logical ADJ2 operator\$1) NEAR6 display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:36
-	5	((remov\$3 eliminat\$4) NEAR6 (logical ADJ2 (operator\$1 operation\$1)) NEAR6 display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:38
-	1	((remov\$3 eliminat\$4) NEAR4 ((logical NEAR2 operator\$1) (operator\$1 NEAR2 term\$1) (operation\$1 NEAR3 term\$1)) NEAR6 display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42
-	16	(((((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)) AND (display\$3 NEAR6 (remain\$3) NEAR6 (operator\$1 item\$1 keyword\$1 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:44
-	1113	display\$3 NEAR4 (item\$1 keyword\$1 list\$1 term\$1) NEAR4 operator\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:45
-	0	display\$3 NEAR4 (item\$1 keyword\$1 list\$1 term\$1) NEAR4 (operator\$1 NEAR4 ("and" "or"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:45
-	6	display\$3 NEAR10 (item\$1 keyword\$1 list\$1 term\$1) NEAR10 (operator\$1 NEAR10 ("and" "or"))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:50
-	1	(display\$3 NEAR10 (operand\$1) NEAR10 (eliminat\$4 delet\$3 eras\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:51
-	3957	(display\$3 NEAR10 (operand\$1 operation\$1 operator\$1) NEAR10 (eliminat\$4 delet\$3 eras\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:52
-	1083	(display\$3 NEAR10 (operator\$1) NEAR10 (eliminat\$4 delet\$3 eras\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:52
-	6	(display\$3 NEAR10 (operator\$1) NEAR10 (eliminat\$4 delet\$3 eras\$3)) AND (operator\$1 NEAR4 "and")	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:57
-	2	(display\$3 NEAR10 (logical NEAR2 operator\$1) NEAR10 (possible available))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:57
-	4	("5905982" "6006225").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:11
-	2276	(null) NEAR6 (SQL search\$3 result\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:11

-	35	((null) NEAR6 (SQL search\$3 result\$1)) AND (display\$3 NEAR4 (term\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:18
-	221	((null) NEAR6 (SQL search\$3 result\$1)) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:18
-	196467	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:31
-	4053	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:31
-	1870	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.) AND ((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:32
-	476	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.) AND ((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) AND ((eliminat\$4 remov\$3 delet\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:36
-	2	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.) AND ((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) AND ((eliminat\$4 remov\$3 delet\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) NEAR6 NULL)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:34
-	56	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.) AND ((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) AND ((eliminat\$4 remov\$3 delet\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:36
-	274	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.) AND ((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) AND ((eliminat\$4 remov\$3 delet\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:42
-	2	5206949.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:05
-	7032	(display\$3 NEAR2 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:08
-	214	(display\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:06
-	64	((display\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1)))) AND (select\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:09
-	7	((display\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1)))) AND (select\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1))) AND (select\$3 NEAR2 (boolean operator\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:07
-	126	(display\$3 WITH list\$1 WITH (search\$3 quer\$4) WITH (term\$1 keyword\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:09

-	32	((display\$3 WITH list\$1 WITH (search\$3 quer\$4) WITH (term\$1 keyword\$1))) AND (select\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:27
-	0	20020099701.pn. AND hybrid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 14:23
-	1	20020099701.pn. AND hybrid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:03
-	2	20020138494.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 15:04
-	18	((display\$3 WITH list\$1 WITH (search\$3 quer\$4) WITH (term\$1 keyword\$1))) AND (select\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1 keyword\$1))) AND (boolean operator\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 16:28
-	2915	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:42
-	364	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((eliminat\$4 delet\$3 eras\$3) NEAR4 (operator\$1 operation\$1 keyword\$1 item\$1 word\$1 term\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:52
-	209	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((eliminat\$4 delet\$3 eras\$3) NEAR4 (operator\$1 operation\$1 keyword\$1 item\$1 word\$1 term\$1))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:45
-	54	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((eliminat\$4 delet\$3 eras\$3) NEAR4 (operator\$1 operation\$1 keyword\$1 item\$1 word\$1 term\$1))) AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:45
-	49	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((eliminat\$4 delet\$3 eras\$3) NEAR4 (operator\$1 operation\$1 keyword\$1 item\$1 word\$1 term\$1) NEAR4 (display\$3 presentation\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:46
-	8	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))) AND ((eliminat\$4 delet\$3 eras\$3) NEAR4 (operator\$1 operation\$1 keyword\$1 item\$1 word\$1 term\$1))) AND ((present\$7 display\$3) NEAR4 (search\$3 quer\$4) NEAR4 (progress\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:53
-	1	((remov\$3 eliminat\$4) NEAR4 ((logical NEAR2 operator\$1) (operator\$1 NEAR2 term\$1) (operation\$1 NEAR3 term\$1)) NEAR6 display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:41
-	13	((search\$3 OR quer\$4) NEAR6 template\$1) NEAR20 graphical\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42
-	6	((search\$3 OR quer\$4) NEAR6 template\$1) NEAR20 visual\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42
-	13	((search\$3 OR quer\$4) NEAR6 template\$1) NEAR20 graphical\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42

-	1	((remov\$3 eliminat\$4) NEAR4 ((logical NEAR2 operator\$1) (operator\$1 NEAR2 term\$1) (operation\$1 NEAR3 term\$1)) NEAR6 display\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42
-	3	(((choos\$3 chosen select\$3) NEAR4 ((logical ADJ2 operator\$1)))) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 19:42